COMPONENT

MATERIAL SAFETY DATA

SECTION 1. INDENTIFICATION OF THE SUBSTANCE AND MANUFACTURE

PRODUCT NAME: T12-X012-CE

CHEMICAL NAME:
DATE: 4/8/2015
CAS NUMBER: N/A
EINECS NUMBER: N/A
PRODUCT CODE: 32580R

SYNONYMS: None

COMPANY NAME: COMPONENT HARDWARE GROUP, INC.

1890 Swarthmore Avenue Lakewood, NJ 08701

Tel. 800-526-3694, 732-363-4700

Fax. 732-364-8110

IN CASE OF EMERGENCY IN U.S.: 800-526-3694
IN CASE OF EMERGENCY IN EUROPE: 31-76-5968-69

SECTION 2. COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS:	CAS=	TLV (UNITS)	PEL
Silica, Crystalline, .alphaQuartz	14808-60-7	0.05 mg/m ³	0.1 mg/m ³
Treated Fumed Silica	68583-49-3	15 mg/m³	10 mg/m ³
Octamethylcyclotetrasiloxane	00556-67-2	10 mg/m ³	10 mg/m ³
Bis(2,4-dichlorobenzoyl)peroxide	00133-14-2	ND	ND
Iron Oxide	01309-37-1	5 mg/m ³	5 mg/m ³

SECTION 3. HAZARD INDENTIFICATION

EYES: May cause irritation

SKIN: May cause irritation and redness

INHALATION: N/A

INGESTION: May be harmful if swallowed. Adverse liver and reproductive effects reported in animals.

OTHER:

SECTION 4. FIRST AID MEASURES

EYE CONTACT: Flush eyes with water for at least 15 minutes. **SKIN CONTACT:** Flush affected area with plenty of soap and water.

INHALATION: Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

INGESTION: Get medical attention.

SECTION 5. FIRE-FIGHTING MEASURES

FLASH POINT: NONE
FLAMMABLE LIMITS: ND LOWER: ND UPPER: ND

FIRE EXPLOSION HAZARDS: Carbon monoxide, carbon dioxide, silicon dioxide, formaldehyde and metal oxides. **EXTINGUISHING MEDIA:** Carbon dioxide, dry chemical,

foam, alcohol foam and water

FIRE FIGHTING PROCEDURES: Self-contained breathing apparatus and protective clothing should be worn in fires involving this

material

MATERIAL SAFETY DATA

SECTION 6. ACCIDENTAL RELEASE MEASURES

SMALL SPILLS: Wipe or scrape up material and place in container for disposal. Use absorbent to remove any residues

LARGE SPILLS: Same as above

SECTION 7. HANDLING AND STORAGE

STORAGE: Store material in original packaging away from excess heat. Store away from strong acids, strong bases and strong

oxidizing materials

HANDLING: Use personal protective equipment recommended in section 8

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

PERMISSIBLE EXPOSURE LEVEL: ND EYE AND FACIAL: Wear safety glasses SKIN: Wear suitable disposable gloves

RESPIRATORY: Wear a NIOSH approved air-purifying respirator if exposure levels may be exceeded

VENTILATION: N/A

OTHER: Wash thoroughly after handling material prior to eating, drinking or smoking

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/A SOLUBILITY: N/A pH: N/A

PERCENT VOLATILE: N/A VAPOR DENSITY (AIR=1): N/A VAPOR PRESSURE: N/A

EVAPORATION RATE (BUTYL ACETATE=1): N/A SPECIFIC GRAVITY (WATER=1): 1.3 (rubber only)

APPEARANCE & ODOR: Red silicone gum on polymer liner with no odor

SECTION 10. STABILITY AND REACTIVITY

STABILITY: Material is stable

REACTIVITY: Exposure to sulfur and/or amines may inhibit the formation of crosslinks

HAZARDOUS DECOMPOSITION INGREDIENTS: Carbon monoxide, carbon dioxide, silicone dioxide, formic acid, formaldehyde

and metal oxides

HAZARDOUS POLYMERIZATION: Will not occur

SECTION 11. TOXICOLOGICAL INFORMATION

THIS MATERIAL IS NOT LISTED AS A CARCINOGEN BY IARC, NTP OR OSHA

HMIS HAZARD CLASS: Health=0 Flammability=0 Reactivity= 0 Other=N/A

RANKING: 0=Least 1=Slight 2=Moderate 3=High 4=Extreme

SECTION 12: ECOLOGICAL INFORMATION

This material will not biodegrade

SECTION 13: DISPOSAL CONSIDERATONS

DISPOSAL: Consult federal, state and local regulations to determine appropriate disposal options.

MATERIAL SAFETY DATA

SECTION 14: TRANSPORT INFORMATION

SHIPPING NAME: N/A HAZARDOUS CLASS: N/A

SECTION 15: REGULATORY INFORMATION

None

SECTION 16: OTHER INFORMATION

ISSUE DATE: 04/08/2015

REVISION DATE:

FOR ASSISTANCE ON THIS PRODUCT IN EUROPE: CHG EUROPE B.V.

Hazeldonk 6475 4836 LH Breda The Netherlands

Tel. 31-76-5968-69, Fax. 31-76-5963-114

IN CASE OF EMERGENCY IN EUROPE: 31-76-5968-69